Index to Volume 19, 1982

N-Acetyl-β-D-glucosaminidase determination, simple automated colorimetric method 157

Acid phosphatase after examination of prostate: short report 195

Adenosine

3',5' cyclic monophosphate and guanosine 3',5' cyclic monophosphate levels in single urine specimens, healthy subjects 77

triphosphate, microbial, luciferin-luciferase assay in bacteriuria screening, comparative study 416

Adrenal hyperplasia, congenital, see Congenital adrenal hyperplasia

Age, biochemical differences in glomerular basement membrane related to 17

AL-ANSARI AAK, PERRY LA, SMITH DS and LANDON J: Salivary cortisol determination: adaptation of a commercial serum cortisol kit 163

AL-TAMER YY see KHAYROLLAH AA et al

Alanine aminotransferase and aspartate aminotransferase, temperature relationship, influence of pyridoxal-5'-phosphate 426

Alcohol

dehydrogenase, serum, activity in liver diseases 35 consumption and correlation of serum lipids and lipoproteins with gamma-glutamyltransferase 345

Alkaline phosphatase, removal from 2-amino-2-methyl-lpropanol of impurities that inhibit, column chromatography method 182

Alphafetoprotein, serum, assays, external quality assessment: correspondence 252

Amerlex, NML and Ames total thyroxine and triiodothyronine radioimmunoassay kits, comparison 104

Ames, America and NML total thyroxine and triiodothyronine radioimmunoassay kits, comparison 104 Aminoglycoside, plasma assays: correspondence 250

2-Amino-2-methyl-l-propanol, removal of impurities that inhibit alkaline phosphatase activity, column chromatographic method

Angiotensin-converting enzyme, serum, simple colorimetric assay, comparison with new ion-pair chromatography-assisted assay 227

ANSARI AAK AL- see AL-ANSARI AAK

Anti-endotoxin antibodies, serum, detection by ELISA procedure 191

Aspartate aminotransferase and alanine aminotransferase, temperature relationship, influence of pyridoxal-5'-phosphate 426

ATKIN GE see ATTWOOD EC and ATKIN GE

ATTWOOD EC and ATKIN GE: The T₄:TBG ratio: a reevaluation with particular reference to low and high serum TBG levels 101

A regional external quality assessment scheme for serum thyroxine-binding globulin 167

ATKIN GE see ATTWOOD EC and ATKIN GE

Bacteriuria screening, using luciferin-luciferase assay of microbial ATP, comparative study 416

BADSHA N see GAFFIN SL et al

BAKKER AJ and TERPSTRA 1: Total over free thyroxine
ratio: prediction of thyroxine binding globulin 94

BANERJEE A: Blood dehydroascorbic acid and diabetes mellitus in human beings 65

BARKER DE and JACOBS AG: Paracetamol estimation: a new approach to reducing salicylate interference 120 BATS A DE see DE BATS A

BAUMINGER BB and WALTERS G: Increased hepatic iron stores in the human fetus after maternal total dose infusion of iron dextran 238

BAYFORD LM see ROCKS BF et al

BEETHAM R: A review of blood pH and blood-gas analysis: scientific review no. 6 198

BFST FA see MCDOWELL DR et al

BEUKENVELD G see KWARTS E et al

Biochemistry services, emergency, abuse 325
Bichromatic method on centrifugal analyser in determination of total and direct bilirubin in plasma 151

RIENVENII F SPE BIENVENII I et al

BIENVENU J, BIENVENU F, MICHAUD-CAUDIE C, QUINCY C, NICOLAS JP, PHANG PP, MANDRAND B and TRABUC-JAUBERT M: Enzyme-linked immunoadsorbent assay for serum IgE: evaluation in four centres 60

Bilirubin, plasma, total and direct, determination by bichromatic method on centrifugal analyser 151

BINGHAM D see DAVY P et al

Biological fluids, chloride determination in, automated and manual use of sensitive reagent 245

Blood

analytes, evaluation of a quantitative solid phase reagent system for determination 214

gas analysis and blood pH, review. Scientific Review No. 6 198

glucose, capillary, comparison of three methods for estimation in filter paper spots 22

pH and blood-gas analysis, review. Scientific Review No. 6 198

BOO T DE see DE BOO T

BOOK REVIEWS

ALLEN RC and ARNAUD P editors: Electrophoresis 81
1981 386

ALTURA BM editor: Ionic regulation of the microcirculation. Advances in microcirculation vol 11 1982 446

BARKER BM and BENDER DA editors: Vitamins in medicine vol 2 4th edn. 1982 446

BASU TK and SCHORAH CJ: Vitamin C in health and disease 1982 386

BIER OG, DIAS DA SILVA W, GÖTZE D and MOTA I: Fundamentals of immunology 1981 386

BRYCE CFA editor: Biochemical education 1981 385 CAMPBELL and SMITH editors: Biochemistry illustrated 1982 446 CHAYEN J: The cytochemical bioassay of polypeptide hormones (Monographs on endocrinology vol 17) 1980 322

CONSTANTINIDES A, VEITH WR and VENKATASUBRA-MANIAN K editors: Biochemical engineering II (Annals New York Academy of Sciences) 1981, vol. 369 135

CRAWFORD, GIBBS and WATTS editors: Advances in the treatment of inborn errors of metabolism 1982 447

CUNNINGHAM and FREDERIKSEN editors: Structural and contractile proteins. Methods in enzymology vol 82 1982 447

DELUCA MA and MCELROY WD editors: Bioluminescence and chemiluminescence 1981 323

FAULKNER WR and MEITER'S editors: Selected methods for the small clinical chemistry laboratory vol 9 1981 385

GARRY PJ editor: Human nutrition. Clinical and biochemical aspects 1981 322

GRASBECK and ALSTROM editors: Reference values in laboratory medicine. The current state of the art 1981 324

JEFFCOATE SL: Efficiency and effectiveness in the endocrine laboratory 1981 135

MAUVAIS-JARVIS P, KUTTENN F and MOWSZOWICZ I: Hirsutism (Monographs on endocrinology vol 19) 1981 322

MING CHU T editor: Biochemical markers for cancer.

Clinical and biochemical analysis vol 11 1982 448

OSBORNE NN: Biology of serotonergic transmission

1982 388
PESTKA s editor: Interferons, Part A (Methods in

enzymology, 78) 387
PRICE CP and SPENCER K editors: Methods in labora-

tory medicine. Vol 1. 1980 64

RANDLE PJ, STEINER DF and WHELAN WJ editors:

Carbohydrate metabolism and its disorders vol 3
1981 385

RODRIGUEZ and VAN WIMERSMA GREIDANUS editors: Cerebrospinal fluid (CSF) and peptide hormones (Frontiers of hormone research vol 9) 1981 388

SATO VI. and GEFTER ML editors: Cellular immunology 1981 323

SCHONFELD H and BROCKMAN R editors: Pharmacokinetics II 387

SELL S and WAHREN B editors: Human cancer markers 1982 448

SIGGARD-ANDERSEN O editor: Blood pH, carbon dioxide, oxygen and calcium ions 1981 388

STRIKE PW: Medical laboratory statistics 1981 196
SZEKERES L editor: Handbook of experimental
pharmacology, Vol 54, Part 1 1980. Part 2 1981 64

TANNEN, GOLDSTEIN, LEMIEUX, SIMPSON and VINAY editors: Renal ammonia metabolism. Contributions to nephrology vol 31 1982 447

Thin-layer chromatography. Techniques and applications, 1982 386

VOLLRATH L: The pineal organ 1981 322

WAYMOUTH, HAM and CHAPPLE editors: The growth requirements of vertebrate cells in vitro 1982 446

WHITBY LG and SMITH AF editors: Multiple choice questions on clinical chemistry 323

WILLIAMS RH editor: Text book of endocrinology 6th edition, 1981 136

BOOTH S and LACEY RW: Effect of recent food on estimation of high-density lipoprotein and total cholesterol in normal subjects 176

BORRIAS-VAN TONGEREN V see DERKS HJGM et al

BOUMA AM see DERKS HJGM et al

Breast cancer, markers 263
BROCK-UTNE JG see GAFFIN SL et al

N-Bromosuccinimide for iodination of proteins for radioimmunoassay 129

BROWN MJ see CAUSON RC and BROWN MJ

BUBEAR M see DELVES HT et al

BUNKER VW, DELVES HT and FAUTLEY RF: A system to minimise trace metal contamination of biological material during homogenisation: technical note 444
BURBACH JPH: Neuropeptides and cerebrospinal fluid 269

BUSH B, DORAN DR and JACKSON KW: Evaluation of erythrocyte protoporphyrin and zinc protoporphyrin as micro screening procedures for lead poisoning detection 71

BUTTNER J: Decision theory in the clinical laboratory: principles and applications 284

Calcium, ionised, clinically significant effect of protein concentration on ion-selective electrode measurements 233

Calculations in radioimmunoassay, desk-top computer 295

CALLUM G, FRASER CG and HEARNE CR: Components of variance of some plasma constituents in patients with myocardial infarction 431

Cancer, see specific areas and organs

Capillary blood glucose, comparison of three methods for estimation in filter paper spots 22

CARMICHAEL A see DELVES HT et al

Carryover, in discrete and continuous-flow systems, theoretical study 224

Catecholamine measurements in phaeochromocytoma: review 396

CAUDIF C MICHAUD- see MICHAUD-CAUDIE C

CAUSON RC and BROWN MJ: Catecholamine measurements in phaeochromocytoma: a review 396

Centrifugal analyser in bichromatic method for determination of total and direct bilirubin in plasma 151
Cerebrospinal fluid and neuropeptides 269

Chloride, determination in biological fluids, automated and manual use of sensitive reagent 245

Cholesterol, total, and high-density lipoprotein estimation, effect of recent food in normal subjects 176 Chromatography

column, for removal of impurities from 2-amino-2methyl-l-propanol that inhibit alkaline phosphatase activity 182

high-performance liquid, analysis of total thiamine by thiochrome method 52

rapid, for quantitation of 5-fluorouracil in plasma after continuous intravenous infusion 125

in simple colorimetric assay for serum angiotensinconverting enzyme 227 CLARK PMS see MICHIAK A et al CLAYION BE see DELVES HT et al

Clinical

biochemistry, departments, research, costs and usefulness of tests: editorial 197 services, emergency, abuse 325

Chemistry, British, German, and Dutch, first joint meeting, Noordwijkerhout, 9-10 April 1981, papers 253

laboratory, decision theory, principles and applications 284

Clinicon reaction rate analyser, use of enzyme standard in measurement of enzymes in 160

COLE PV see ROBERTS MJ and COLE PV

COLLEY CM see FLECK A and COLLEY CM

Computer, desk-top, for calculations in radioimmunoassay 295

Congenital adrenal hyperplasia, rare form, causing precocious pseudopuberty 145

CONRADIE JD see GAFFIN SL et al

COOMBES RC, DEARNALEY DP, ELLISON ML and NEVILLE AM:
Markers in breast and lung cancer 263

Copper and zinc determination in microsamples of serum by flow injection and atomic absorption spectroscopy 338

Corning, Immophase and Lepertit free thyroxine estimations, comparisons 108

Corticol determination, salivary, adaptation of commercial serum cortisol kit 163

C-peptide kits, evaluation of three commercially available 368

CURNOW RN see VICKERS MF et al

Cystic fibrosis protein method, failure to confirm

DANDONA P see MIKHAILIDIS DP et al

diagnostic value 442

DAVY P, BINGHAM D, WALTERS G and WHICHER JT: Estimation of the saturation of serum transferrin by an electrophoretic technique 57

DE BATS A, RHODES EL, GORDON AH and PARKE DV: Biochemical differences in human glomerular basement membrane related to diabetes and age 17

DE BOO T see HAFKENSCHEID JCM et al

DE WARDENER H E: The natriuretic hormone 137

DEARNALEY DP see COOMBES RC et al. Decision theory in the clinical labor

Decision theory in the clinical laboratory, principles and applications 284

Definitive methods—reference methods, their important impact on clinical chemistry 289

Dehydroascorbic acid, blood, and diabetes mellitus 65
DELVES HT: Some clinical aspects of trace elements 302

CLAYTON BE, CARMICHAEL A, BUBEAR M and SMITH M: An appraisal of the analytical significance of toothlead measurements as possible indices of environmental exposure of children to lead 329

see also bunker vw et al

der kinderen pjsee ross ha et al der ven-jongekrijg j van see van der venjongekrijg j

DERKS HJGM, BORRIAS-VAN TONGEREN V, BOUMA AM and KOEDAM JC: A column chromatographic method for the removal from 2-amino-2-methyl-l-propanol of impurities that inhibit alkaline phosphatase activity 182

Desk-top computer for calculations in radioimmunoassay 295

Dextran, iron, increased fetal hepatic iron stores after maternal total dose infusion 238

Diabetes mellitus

biochemical differences in glomerular basement membrane related to 17 and blood dehydroascorbic acid 65

screening, value of serum glucose assay 412
DIXON K: A theoretical study of carryover in discrete and continuous-flow systems 224

DORAN DR see BUSH B et al

Drug analyses in poisoned patients, need to be specific 254

Dry reagent chemistry, for blood analytes, evaluation 214

DRYBURGH FJ see SMITH ADS et al

Editorial: Usefulness of biochemical tests 197 Electrophoresis

on cellulose acetate, detection limits for protein after 117

determination of haemoglobin A concentrations during short-term changes in glucose concentration 350 for estimation of saturation of serum transferrin 57 see also Immunoelectrophoresis

ELISA procedure for detecting anti-endotoxin antibodies in serum 191

ELLIS RD see TURNER GA et al

ELLISON ML see COOMBES RC et al

Emergency biochemistry services, abuse 325

Endotoxin specific antibodies, serum, ELISA procedure for detecting 191

Enzymes

activity, temperatures used in determination, clinical laboratories, Britain, survey results 405

angiotensin-converting, serum, evaluation of simple colorimetric assay for 227

immunoassay, sandwich, for ferritin, IgE and TSH, major factors limiting sensitivity 379

-linked immunoadsorbent assay for serum IgE evaluation in four centres 60
 pancreatic, stability in duodenal juice after pancreatic

stimulation 89 standard, use in measurement of enzymes in Clinicon reaction rate analyser 160

Epilepsy, prediction of phenytoin dosage in, using multiple linear regression 141

Erythrocyte protoporphyrin and zinc protoporphyrin, evaluation as micro screening procedures for lead poisoning detection 71

External quality assessment schemes, see Quality assessment schemes

FAUTLEY RF see BUNKER VW et al

FERGUSON KM, HAYES M and JEFFCOATE SL: A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay 358
Ferritin, sandwich enzyme immunoassay for, major

factors limiting sensitivity 379

Fetoplacental function, prospective assessment of tests 12: correspondence 250

FEX G, KRISTENSON H and TRELL E: Correlations of serum lipids and lipoproteins with gamma-glutamyltransferase 345

First Joint Meeting of British, German, and Dutch Societies for Clinical Chemistry, Noordwijkerhout, 9-10 April 1981, papers 253

FITZGERALD MG see NORTHAM BE et al

FLECK A and COLLEY CM: Temperatures used in the determination of enzyme activity in clinical biochemistry laboratories in Britain: results of a survey 405

5-Fluorouracil, plasma, quantitation, after continuous intravenous infusion, rapid high-performance liquid chromatographic method 125

FOX RM see SAMPSON DC et al

FRASER CG see CALLUM G et al

FRASER R see RATCLIFFE WA et al

FUTERMAN AH see SHAKESPEARE PG et al

GAFFIN SL, BADSHA N, BROCK-UTNE JG, VORSTER BJ and CONRADIE JD: An ELISA procedure for detecting human anti-endotoxin antibodies in serum 191

GAZENDAM J see KWARTS E et al

GEND JMWA VAN SEE VAN GEND JMWA

GHALE GK see MULLER DPR and GHALE GK

GIMLETTE TMD see SQUIRE CR and GIMLETTE TMD

Glomerular basement membrane, biochemical differences related to diabetes and age 17

Glucose

capillary blood, comparison of three methods for estimation in filter paper spots 22

concentrations, electrophoretically determined haemoglobin A concentrations during short-term changes in 350

serum assay, value as part of biochemical profile in diabetes screening 412

y-Glutamyltransferase

correlations of serum lipids and lipoproteins with, and attitude to alcohol consumption 345

heat inactivation in homogenates, kidney 43 Gonadotrophin, plasma, radioimmunoassay, standard-

ised multicentre procedure 358

GOODLAND FC: Detection limits for protein after electrophoresis on cellulose acetate 117

GORDON AH see DE BATS A et al

GRAY SP: Prediction of phenytoin dosage in epilepsy using multiple linear regression 141

Growth retardation, screening method for measuring somatomedin B protein binding in serum from children with 83

Guanosine 3',5' cyclic monophosphate and adenosine 3',5' cyclic monophosphate levels in single urine specimens, healthy subjects 77

GUTHRIE D see TURNER GA et al

Haematology, regional quality survey programme, fresh human blood as source 438

Haemoglobin

A concentrations, electrophoresis in determinations during short-term changes in glucose concentration 350

oxygen affinity, simple and rapid method for assessment 354 HAFKENSCHEID JCM, VAN DER VEN-JONGEKRUG J and DE BOO T: Influence of pyridoxal-5'-phosphate on temperature relationship of aspartate aminotransferase and alanine aminotransferase 426

HADE W G: Biochemical markers in ovarian cancer: possibilities and limitations 258

HALL K and LAING 1: A ligand-binding assay for thyroxine-binding globulin based on polyethylene glycol separation 421

HALLIDAY R see RUDD BT et al

HARROP IS see HOPTON MR and JARROP JS

HAYES M see FERGUSON KM et al

HEARNE CR see CALLUM G et al

Heat inactivation of gamma-glutamyltransferase in homogenates, kidney 43

HENSLEY WJ see SAMTSON DC et al

Hepatic iron stores, increased, in human fetus after maternal total dose defusion of iron dextran 238

HOEKSTRA JBL see VAN RIJN HJM et al

HOLDER PE: Automated and manual use of a sensitive reagent for the determination of chloride in biological fluids 245

HOLTON JB: Diagnosis of inherited metabolic diseases in severely ill children 389

Homogenisation, system to minimise trace metal contamination of biological material during: technical note 444

HONOUR JW see RATCLIFFE WA et al

HOLLAND MR and JACOBS AG: On the transportability of linear discriminant functions 47

HOPTON MR and HARROP JS: Effects of venous stasis on serum concentrations of thyroid hormones and their binding proteins: technical note 134

IMAGAWA M see ISHIKAWA E et al

Immophase, Corning and FT4, Lepetit free thyroxine estimations, comparison 108

Immunoassay

laboratory, use of Youden plot for internal quality control 435

sandwich enzyme, for ferritin, IgE and TSH, major factors limiting sensitivity 379

Immunoelectrophoresis, ultrathinfilm 114

see also Electrophoresis

Immunoglobulin E

sandwich enzyme immunoassay, major factors limiting sensitivity 379

serum, enzyme-linked immunoadsorbent assay: evaluation in four centres 60

IMURA H see ISHIKAWA E et al

INADA M see ISHIKAWA E et al

Inborn errors of metabolism, new look at classification 314

see also Inherited metabolic disease

Inherited metabolic diseases, diagnosis in severely ill children 389

see also Inborn errors of metabolism

Intestinal function, investigation studies 1

Iron stores, hepatic, fetal, increased after maternal total dose infusion of iron dextran 238

ISHIKAWA E, IMAGAWA M, YOSHITAKE S, NIITSU Y, URUSHIZAKI I, INADA M, IMURA H, KANAZAWA R, TACHIBANA S, NAKAZAWA N and OGAWA H: Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobulin E, and thyroid-stimulating hormone 379

JACKSON KW see BUSH B et al JACOBS AG see BARKER DE and JACOBS AG HOLLAND MR and JACOBS AG

JAMES N see PHATAK PS and JAMES N JAUBERT M TRABUC- see TRABUC-JAUBERT M

JEFFCOATE SL: Use of Youden plot for internal quality control in the immunoassay laboratory 435 see also FERGUSON KM et al

JONGEKRIJG J VAN DER VEN- see VAN DER VEN-JONGEKRIJG J

KANAZAWA R see ISHIKAWA E et al

KHAYROLLAH AA, AL-TAMER YY, TAKA M and SKURSKY L: Serum alcohol dehydrogenase activity in liver diseases 35

Kidney, homogenates, heat inactivation of gammaglutamyltransferase 43

KINDEREN PJ DER see DER KINDEREN PJ KLOSSE JA see SCHRIJVER J et al

KOEDAM JC see DERKS HJGM et al

KOSKINEN M see RUOKONEN A et al KRICKA LJ see MICHIAK A et al

KRISTENSON H see FEX G et al
KWARTS E, BEUKENVELD G and GAZENDAM J: Evaluation of
a simple colorimetric assay for serum angiotensinconverting enzyme: comparison with a new ion-pair
liquid chromatography-assisted assay 227

LACEY RW see BOOTH S and LACEY RW LAING I see HALL K and LAING I LANDON J see AL-ANSARI AAK et al LATNER AL see TURNER GA et al Lead

analytical significance of tooth-lead measurements as possible indices of environmental exposure 329 poisoning detection, evaluation of erythrocyte and zinc protoporphyrin as micro screening procedures 71

LEUNSE B: Definitive methods—reference methods (absolute methods?): their important impact on clinical chemistry 289

LEINONEN M see RUOKONEN A et al

Lepetit, Immophase and Corning free thyroxine estimations, comparisons 108

LEPPILAMPI M see PUUKKA R and LEPPILAMPI M

Ligand-binding assay for thyroxine-binding globulin based on polyethylene glycol separation 421

Linear discriminant functions, transportability 47

Lipids and lipoproteins, serum, correlations with gammaglutamyltransferase, and satitude to alcohol consumption 345

Lipoproteins

high-density and total cholesterol, effect of recent food in normal subjects 176

and lipids, correlations with gamma-glutamyltransferase, and attitudes to alcohol consumption 345 plasma, biochemical and clinical aspects 278 Liver diseases, serum activity dehydrogenase activity 35 LONGLANDS MG and WIENER K: Minimisation of salicylate interference in the Glynn and Kendal paracetamol procedure 187

Luciferin-luciferase assay of microbial ATP in bacteriuria screening, comparative study 416

Lung cancer, markers 263

MCCLURE JP see RATCLIFFE WA et al

MCDOWELL DR and OLIVER RWA: Fetoplacental function tests: a reply 250

MCDOWELL DR, OLIVER RWA and BEST FA: A prospective assessment of tests of fetoplacental function 12

MANDRAND B see BIENVENU J et al

Markers

biochemical in ovarian cancer 258 in breast and lung cancer 263

Marks V: Research, costs and usefulness of clinical biochemical testing 197

Mercuric 2,4,6-tri-(2-pyridyl)-1,3,5-triazine reagent in determination of chloride in biological fluids 245
MICHAUD-CAUDIE C see BIENVENU 1 et al

MICHIAK A, CLARK PMS and KRICKA LJ: Ultrathinfilm immunoelectrophoresis 114

MIKHAILIDIS AM see MIKHAILIDIS DP et al

MIKHAILIDIS DP, MIKHAILIDIS AM and DANDONA P: Effect of human plasma proteins on stabilisation of human plasma proteins on stabilisation of platelet antiaggregatory activity of prostacyclin 241

MOORE JC and MORRIS JE: A simple automated colorimetric method for determination of N-acetyl-β-Dglucosaminidase 157

MORGAN DB: Assessment of renal tubular function and damage and their clinical significance 307

MORGAN HG see SMITH ADS et al

MORRIS JE see MOORE JC and MORRIS JE

MULLER DPR and GHALE GK: Stability of pancreatic enzyme activities in duodenal juice after pancreatic stimulation by a test meal or exogenous hormones 89 Multicentre procedure, standardised, for plasma gonado-

trophin radioimmunoassay 358

Multiple linear regression in prediction of phenytoin dosage in epilepsy 141

Myocardial infarction, components of variance of some plasma constituents 431

NAKAZAWA N see ISHIKAWA E et al

Natriuretic hormone, nature, clinical evidence and experimentation 137

NATTRASS M see NORTHAM BE et al

Neuropeptides and cerebrospinal fluid 269

NEVILLE AM see COOMBES RC et al

NICOLAS JP see BIENVENU J et al

NIITSU Y see ISHIKAWA E et al

NISBET JA, OWEN JA and PULFORD FG: Use of an enzyme standard in the measurement of enzymes in a Clinicon reaction rate analyser 160

NIX B see WOODHEADS S et al

NML, see Nuclear-Medical Laboratories

NORTHAM BE, SMITH JH, FITZGERALD MG, NATTRASS M and WRIGHT AD: Value of serum glucose assay as part of the biochemical profile in screening for diabetes 412

Nuclear-Medical Laboratories, Amerlex and Ames total thyroxine and triiodothyronine radioimmunoassay kits, comparison 104

OBREGÓN MJ: Thyroxine radioimmunoassay for population surveys using dried blood; modifications of a highly sensitive method 29

OAKEY RE see VINALL PS et al

OGAWA H see ISHIKAWA E et al

ORR H see POLANSKA AI and ORR H

OLIVER RWA see MCDOWELL DR and OLIVER RWA MCDOWELL DR et al

Ovarian cancer, biochemical markers, possibilities and limitations 262

OWEN JA see NISBET JA et al

Oxygen affinity of haemoglobin, simple and rapid method for assessment 354

Pancreatic enzyme activities, stability in duodenal juice after pancreatic stimulation 89

Papers presented to First Joint Meeting of British, German, and Dutch Societies for Clinical Chemistry, Noordwijkerhout, 9-10 April 1981 253

Paracetamol estimation

approach to reducing salicylate interference 120 Glynn and Kendal, minimisation of salicylate interference 187

PARKE DV see DE BATS A et al

PAYNE RB: Clinically significant effect of protein concentration on ion-selective electrode measurements of ionised calcium 233

PENNOCK CA see TAYLOR RP and PENNOCK CA

PERRY LA see AL-ANSARI AAK et al

Phaeochromocytoma, catecholamine measurements: review 396

PHANG PP see BIENVENU J et al

PHATAK PS and JAMES N: Acid phosphatase after examination of the prostate: short report 195

Phenytoin dosage, prediction in epilepsy using multiple linear regression 141

PLISCHKE W see THOMAS L et al

Poisoning, drug analyses in, need to be specific 254 POLANSKA AI and ORR H: External quality assessment of serum alphafetoprotein assays: correspondence 252

Platelet anti-aggregatory activity of prostacyclin, effect of plasma proteins on stabilisation 241 Polyethylene glycol separation, ligand-binding assay for

thyroxine-binding globulin based on 421 Precocious pseudopuberty due to rare form of congenital

adrenal hyperplasia 145 Pregnancy, free thyroxine assays in 374

Progesterone, in unexpected serum, direct assay, evaluation of four methods 362

Prostacyclin, platelet anti-aggregatory activity, effect of plasma proteins on stabilisation 241

Prostate, acid phosphatase after examination: short report 195

Protein

concentration, clinically significant effect on ionselective electrode measurements of ionised calcium detection limits after electrophoresis on cellulose acetate 117

iodination, for radioimmunoassay, use of N-bromosuccinimide 129

plasma, effect on stabilisation on platelet anti-aggregatory activity of prostacyclin 241

Protoporphyrin, erythrocyte and zinc, evaluation as micro screening procedures for lead poisoning detection 71 PULFORD FG see NISBET JA et al

PUUKKA R and LEPPILAMPI M: Electrophoretically determined haemoglobin A1 concentrations during shortterm changes in glucose concentration 350

Pyridoxal-5'-phosphate, influence on temperature relationship of aspartate aminotransferase and alanine aminotransferase 426

Quality

assessment schemes, external, effect of favourable treatment of samples on indices of performance in 171

regional, for serum alphafetoprotein assays: correspondence 252

for serum thyroxine-binding globulin 167

control, internal, in immunoassay laboratory, use of Youden plot 435

survey programme, regional in haematology fresh human blood as source 438

Quantitative solid phase reagent system for determination of blood analytes 214 QUINCY C see BIENVENU J et al

Radioimmunoassay

desk-top computer for calculations 295

plasma gonadotrophin, standardised multicentre procedure 358

protein iodination for, use of N-bromosuccinimide

thyroxine for population surveys using dried blood: modifications of highly sensitive method 29

RATCLIFFE JG see RATCLIFFE WA et al

RATCLIFFE WA: Evaluation of four methods for the direct assay of progesterone in unextracted serum 362 MCCLURE JP, AULD WHR, HONOUR JW, FRASER R and RATCLIFFE JG: Precocious pseudopuberty due to a rare form of congenital adrenal hyperplasia 145

RAYNER PHW see RUDD BT et al

REAY P: Use of N-bromosuccinimide for the iodination of proteins for radioimmunoassay 129

Regional external quality assessment schemes see Quality assessment schemes

Renal tubular function and damage assessment and their clinical significance 307

RHODES EL see DE BATS A et al

RIJN HJM VAN see VAN RIJN HJM

RILEY C see ROCKS BF et al

ROBERTS LB see RUMLEY AG and ROBERTS LB

ROBERTS MJ and COLE PV: Simple and rapid method for the assessment of the oxygen affinity of haemoglobin

ROCKS BF, SHERWOOD RA, BAYFORD LM and RILEY C: Zinc and copper determination in microsamples of serum by flow injection and atomic absorption spectroscopy

ROSS HA, VISSER JWE, DER KINDEREN PJ, TERTOOLEN JFW and THUSSEN JHH: A comparative study of free thyroxine estimations 108

ROSS WM see TURNER GA et al

ROWLANDS J see WOODHEAD S et al

RUDD BT, RAYNER PHW, STAFFORD SM and HALLIDAY R: A screening method for measuring somatomedin B protein binding in serum from children with growth retardation 83

RUMLEY AG and ROBERTS LB: Effect of favourable treatment of samples on indices of performance in external quality assessment schemes 171

RUOKONEN A, KOSKINEN M, LEINONEN M, TIILIKAINEN A and VAHK'R: Screening of bacteria in urine using luciferin-luciferase assay of microbial ATP: a comparative study 416

Salicylate interference, reducing in Glynn and Kendal paracetamol procedure 120, 187
Salivary cortisol determination, adaptation of a com-

mercial serum cortisol kit 163

SAMMONS HG: Studies in the investigation of intestinal function 1

SAMPSON DC, FOX RM, TATTERSALL MHN and HENSLEY WJ: A rapid high-performance liquid chromatographic method for quantitation of 5-fluorouracil in plasma after continuous intravenous infusion 125

Sandwich enzyme immunoassay for ferritin, IgE and TSH major factors limiting sensitivity 379

SCHOPMAN W: Advantages of the application of a desktop computer for calculations in radioimmunoassay 295

SCHREURS WHP see SCHRIJVER J et al

SCHRIUVER J, SPEEK AJ, KLOSSE JA, VAN RIJN HJM and SCHREURS WHP: A reliable semiautomated method for the determination of total thiamine in whole blood by the thiochrome method with high-performance liquid chromatography 52

SCOTT JS see VINALL PS et al

SEIDEL D: Human plasma lipoproteins: biochemical and clinical aspects 278

Seralyser system for blood analytes, evaluation 214
SHAKESPEARE FG, STOKES SH and FUTERMAN AH: Heat
inactivation of gamma-glutamyltransferase in homogenates of human kidney 43

SHENKIN A see SMITH ADS et al SHERWOOD RA see ROCKS BF et al

SINCLAIR L: A new look at the inborn errors of metabolism 314

SKILLEN AW see TURNER GA et al SKURSKY L see KHAYROLLAH AA et al

SMITH ADS, SHENKIN A, DRYBURGH FJ and MORGAN HG: Emergency biochemistry services—are they abused? 325

SMITH DS see AL-ANSARI AAK et al SMITH JH see NORTHAM BE et al

SMITH M see DELVES HT et al

Somatomedin B protein binding, screening method measurement in serum from children with growth retardation 83

SPEEK AJ see SCHRIJVER J et al

squire cr and Gimlette TMD: Assessment of optimal L-thyroxine replacement dose by the TRH test 26
STAFFORD SM see RUDD BT et al

STEWART M: Drug analyses in poisoned patients—the need to be specific 254

STOKES SH see SHAKESPEARE PG et al

STORZ G see THOMAS L et al

TACHIBANA S see ISHIKAWA E et al

TAKA M see KHAYROLLAH AA et al TAMER YY AL- see AL-TAMER YY

TARNOKY AL see VICKERS MF et al

TATTERSALL MHN see SAMPSON DC et al

TAYLOR RP and PENNOCK CA: A comparison of three methods for the estimation of capillary blood glucose in filter paper spots 22

Temperatures used in enzyme activity determination, clinical laboratories, Britain, survey results 405

TERPSTRA I see BAKKER AJ and TERPSTRA I

TERTOOLEN JFW see ROSS HA et al

Thiamine, total, semiautomated method for determination in whole blood by thiochrome method with HPLC 52

THUSSEN JHH see ROSS HA et al

VAN RIJN HJM et al

Thiochrome method for determination of total thiamine in whole blood by, with HPLC 52

THOMAS L, PLISCHKE W and STORZ G: Evaluation of a quantitative solid phase reagent system for determination of blood analytes 214

Thyroid

hormones, and their binding proteins, effect of venous stasis: technical note 134

-stimulating hormone, sandwich enzyme immunoassay, major factors limiting sensitivity 379

Thyrotrophin releasing hormone test, assessment of optimal L-thyroxine replacement dose by 26
Thyroxine

binding globulin, ligand-binding assay based on polyethylene glycol separation 421

prediction, total over free thyroxine ratio 94 regional external quality assessment scheme 167 serum, low and high levels, T₄: TBG ratio, re-

evaluation 101
see also Thyroid hormones

free, estimations, comparative study 108

in pregnancy 374
optimal replacement dose, assessment by TRH test 26
radioimmunoassay for population surveys using dried

blood: modifications of highly sensitive method 29 ratio, total over free, prediction of thyroxine binding globulin 94

thyroxine-binding globulin ration, re-evaluation with particular to low and high serum TBG levels 101 and triiodothyronine radioimmunoassay kits, com-

parison 104
see also Thyroid hormones

TIILIKAINEN A see RUOKONEN A et al

TONGEREN V BORRIAS-VAN see BORRIAS-VAN TONGEREN V
Tooth-lead measurements, analytical significance as
possible indices of environmental exposure of children
to lead 329

TRABUC-JAUBERT M see BIENVENU J et al

elements, clinical aspects 302

metal contamination of biological material during homogenisation, system to minimise: technical note 444

Transferrin, serum, estimation of saturation by electrophoretic technique 57

TRELL E see FEX G et al

Triiodothyronine radioimmunoassay and thyroxine kits, comparison, 104
see also Thyroid hormones

TURNBULL PA see WILKE TJ and TURNBULL PA

TURNER GA, ELLIS RD, GUTHRIE D, LATNER AL, SKILLEN AW and ROSS WH: Levels of adenosine 3',5' cyclic monophosphate and guanosine 3',5' cyclic monophosphate in single urine specimens collected from a large population of healthy subjects 77

TUTTLEBEE JW: Further experience with free thyroxine assays with particular reference to pregnancy 374

Ultrathinfilm immunoelectrophoresis 114
Urine testing, biochemical, qualitative, case for selectivity: regular review 8
URUSHIZAKI I See ISHIKAWA E et al
URUSHIZAKI OR BROCK- 328 BROCK- UIDE IG

VAN DER VEN-JONGEKRIJG J see HAFKENSCHEID JCM et al VAN GEND JMWA: Fresh human blood as the source of a regional quality survey programme in haematology 438

VAN RUN HJM, HOEKSTRA JBL and THUSSEN JHH: Evaluation of three commercially available C-peptide kits 368 see also SCHRUVER J et al

VAN TONGEREN V BORRIAS- see BORRIAS-VAN TONGEREN V VEN-JONGEKRUG J VAN DER see VAN DER VEN-JONGEKRUG J Venous stasis, effects on serum concentrations of thyroid hormones and their binding: technical note 134

VICKERS MF, CURNOW RN and TARNOKY AL: Failure to confirm the diagnostic value of a cystic fibrosis protein method 442

VIHKO R see RUOKONEN A et al

VINALL PS, OAKEY RE and SCOTT JS: Fetoplacental function tests: correspondence 250 VISSER JWE see ROSS HA et al

VORSTER BJ See GAFFIN SL et al

WALTERS G see DAVY P et al

WARDENER HE DE See DE WARDENER HE

WESTWOOD A: Determination of total and direct bilirubin in plasma by means of a bichromatic method on a centrifugal analyser 151

WHICHER JT see DAVY P et al

WHITE L: Plasma aminoglycoside assays: correspondence 250

WALTERS G see BAUMINGER BB and WALTERS G

WIENER K see LONGLANDS MG and WIENER K

WILKE TW and TURNBULL PA: Comparison of Amerlex, NML, and Ames total thyroxine and triiodothyronine radioimmunoassay kits 104

WOODHEAD S, KEMP H, NIX B and ROWLANDS J: External quality assessment of serum alphafetoprotein assays: correspondence 252

WRIGHT AD see NORTHAM BE et al


YOSHITAKE S see ISHIKAWA E et al
Youden plot for internal quality control in immunoassay
435

ZILVA JF: Qualitative biochemical urine testing: the case for selectivity 8

Zinc

and copper determination in microsamples of serum by flow injection and atomic absorption spectroscopy 338

protoporphyrin and erythrocyte protoporphysin, evaluation as microscreening procedures for lead poisoning detection 71





Annals of Clinical Biochemistry

Editor-in-chief V Marks


Editors D L Williams G J van Stekelenburg

Editorial Committee

G M B Berger (South Africa), P M G Broughton, T Hargreaves (for the Association of Clinical Pathologists), J G Lines (for Current Clinical Chemistry), A H J Maas, F L Mitchell, P J J van Munster, P J Pegg (USA), C P Price, J Ratcliffe, R Robinson, M J Stewart, J H H Thijssen, G Walters (for the Royal College of Pathologists), J T Whicher, J. Whitfied (Australia), and the Editor, British Medical Journal

VOLUME 19, 1982

Professional and Scientific Publications, London For The Association of Clinical Biochemists and de Nederlandse Vereniging voor Klinische Chemie



CONTENTS OF VOLUME 19

VOLUME 19 PART 1 JANUARY 1982		
Studies in the investigation of intestinal function		
H G Sammons Qualitative biochemical urine testing: the case for selectivity Joan F Zilva	••	8
A prospective assessment of tests of fetoplacental function		12
Biochemical differences in human glomerular basement membrane related to diabetes and age		17
A comparison of three methods for the estimation of capillary blood glucose in filter paper spots	••	
R P Taylor and C A Pennock Assessment of optimal L-thyroxine replacement dose by the TRH test C R Squire and T M D Gimlette	• •	22
C R Squire and T M D Gimlette Thyroxine radioimmunoassay for population surveys using dried blood: modifications of a hig sensitive method	hly	26
Maria J Obregon	• •	29
A A Khayrollah, Y Y Al-Tamer, M Taka, and L Skursky Heat inactivation of gamma-glutamyltransferase in homogenates of human kidney	• •	35
P G Shakespeare, Susan H Stokes, and A H Futerman On the transportability of linear discriminant functions	• •	43
M R Holland and A G Jacobs	• •	47
A reliable semiautomated method for the determination of total thiamine in whole blood by thiochrome method with high-performance liquid chromatography	he	52
JAAP Schriver, AJ Speek, JA Klosse, HJM van Rijn, and WHP Schreurs		52
P Davy, D Bingham, G Walters, and J T Whicher Enzyme-linked immunoadsorbent assay for serum IgE: evaluation in four centres J Bienvenu, F Bienvenu, C Michaud-Caudie, C Quincy, J P Nicolas, Pho Phou Phang, B Mandra.	nd	57
	7864,	60
Book reviews		64
VOLUME 19 PART 2 MARCH 1982		
Blood dehydroascorbic acid and diabetes mellitus in human beings Atasi Banerjee		65
Evaluation of erythrocyte protoporphyrin and zinc protoporphyrin as micro screening procedures lead poisoning detection	for	0,0
B Bush, Donna R Doran and K W Jackson	ingle	71
urine specimens collected from a large population of healthy subjects G A Turner, R D Ellis, D Guthrie, A L Latner, A W Skillen and W M Ross A screening method for measuring somatomedin B protein binding in serum from children with groups.	 owth	77
retardation BT Rudd, PH W Rayner, Susan M Stafford, and R Halliday		83
Stability of pancreatic enzyme activities in duodenal juice after pancreatic stimulation by a test or exogenous hormones	meal	00
D P R Muller and G K Ghale Total over free thyroxine ratio: prediction of thyroxine binding globulin	• •	94
Andries J Bakker and Ina Terpstra The T ₄ : TBG ratio: a re-evaluation with particular reference to low and high serum TBG levels		
E C Attwood and G E Atkin Comparison of Amerlex, NML, and Ames total thyroxine and triiodothyronine radioimmunoassay		101
T J Wilke and Patricia A Turnbull A comparative study of free thyroxine estimations	• •	104
H A Ross, J W E Visser, P J der Kinderen, J F W Tertoolen and J H H Thijssen	• •	108
Anne Michiak, Peneolope M S Clark and L J Kricka		114

Detection limits for protein after electrophoresis on cellulose acetate F. C. Goodland			117
Paracetamol estimation: a new approach to reducing salicylate interference		• •	117
Deirdre E Barker and G Jacobs			120
A impid high-performance liquid chromatographic method for quantitation of 5-fluoro after continuous intravenous infusion		asma	
D C Sampson, R M Fox, M H N Tattersall and W J Hensley			125
Use of N-bromosuccinimide for the iodination of proteins for radioimmunoassay P Reay			129
Technical note	• • • • • • • • • • • • • • • • • • • •	• •	147
Effects of venous stasis on serum concentration of thyroid hormones and their	binding pro	teins	
M R Hopton and J S Harrop			134
Book reviews		• •	135
VOLUME 19 PART 3 MAY 1982			
The natriuretic hormone			100
H E de Wardener		• •	137
S P Gray			141
Precocious pseudopuberty due to a rare form of congenital adrenal hyperplasia		• •	1.41
W A Ratcliffe, J P McClure, W H R Auld, J W Honour, R Fraser, and J G Ratcl	liffe		145
Determination of total and direct bilirubin in plasma by means of a bichromatic method analyser	l on a centri	fugal	
A Westwood			151
A simple automated colorimetric method for determination of N-acetyl-β-D-glucosar	minidase		1.57
Joan C Moore and Jacqueline E Morris	oto amaluan		157
Use of an enezyme standard in the measurement of enzymes in a Clinicon reaction r J A Nisbet, J A Owen, and F G Pulford	ate analysei		160
Salivary cortisol determination: adaptation of a commercial serum cortisol kit		• •	100
A A K Al-Ansari, L A Perry, D S Smith, and J Landon			163
A regional external quality assessment scheme for serum thyroxine-binding globulin			1/7
E C Attwood and G E Atkin	**		167
Effect of favourable treatment of samples on indices of performance in external quantum and are a second and a second a second and a second a second and a second a second and a second a second and a second a second and a second a second and a second a	iality assess	ment	
schemes A G Rumley and L B Roberts			171
Effect of recent food on estimation of high-density lipoprotein and total cholesterol in	normal sul	hiects	1/1
S Booth and R W Lacey			176
A column chromatographic method for the removal from 2-amino-2-methyl-1-propar	nol of impu	rities	
that inhibit alkaline phosphatase activity			
H J G M Derks, V Borrias-van Tongeren, A M Bouma, and J C Koedam			182
Minimisation of salicylate interference in the Glynn and Kendal paracetamol proced	ure		
M G Longlands and K Wiener			187
An ELISA procedure for detecting human anti-endotoxin antibodies in serum			
S L Gaffin, Nasima Badsha, J G Brock-Utne, B J Vorster, and J D Conradie			191
Short report			
Acid phosphatase after examination of the prostate			195
P S Phatak and N James		* *	196
Book review			190
VOLUME 19 PART 4 JULY 1982			
Editorial			197
Scientific review No. 6			
A review of blood pH and blood-gas analysis			100
R Beetham		* *	198
Evaluation of a quantitative solid phase reagent system for determination of blood			214
I. Thomas, W Plischke, and G Storz			214

A thoretical study of carryover in discrete and continuous-flow systems K Dixon Evaluation of a simple colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum angiotensin-converting enzyme: comparison of the colorimetric assay for serum and converting enzyme: comparison of the colorimetric assay for serum and converting enzyme: con	 vith	224
a new ion-pair liquid chromatography-assisted assay		227
E Kwarts, G Beukenveld, and J Gazendam Clinically significant effect of protein concentration on ion-selective electrode measurements ionised calcium	of	421
R B Payne	tran	233
B B Bauminger and G Walters		238
Effect of human plasma proteins on stabilisation of platelet anti-aggregatory activity of prostacy DP Mikhailidis, A M Mikhailidis, and P Dandona	clin	241
Automated and manual use of a sensitive reagent for the determination of chloride in biological fi	uids	
P E Holder		245
Letters to the Editor		250
First Joint Meeting of the British, German and Dutch Societies for Clinical Chemistry	*.*	253
Book reviews	• •	322
VOLUME 19 PART 5 SEPTEMBER 1982		
Emergency biochemistry services—are they abused? A D Stuart Smith, A Shenkin, Frances J Dryburgh, and H Gemmel Morgan		325
An appraisal of the analytical significance of tooth-lead measurements as possible indices of environmental exposure of children to lead		343
H T Delves, Barbara E Clayton, Alexandra Carmichael, Michelle Bubear and Marjorie Smith Zinc and copper determination in microsamples of serum by flow injection and atomic absorp		329
spectroscopy B F Rocks, R A Sherwood, Linda M Bayford, and C Riley		338
Correlations of serum lipids and lipoproteins with gamma-glutamyltransferase and attitude to ale consumption	ohol	
		245
G Fex, H Kristenson, and E Trell	cose	345
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration	cose	
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi	cose	350
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi	cose	350 354
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi** Simple and rapid method for the assessment of the oxygen affinity in haemoglobin **M J Roberts and P V Cole** A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay **K M Ferguson, Margaret Hayes, and S L Jeffcoate**	cose	350
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi** Simple and rapid method for the assessment of the oxygen affinity in haemoglobin **M J Roberts and P V Cole** A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay **K M Ferguson, Margaret Hayes, and S L Jeffcoate** Evaluation of four methods for the direct assay of progesterone in unextracted serum **Wendy A Ratcliffe** **Lepilampi** **Lepilampi	cose	350 354
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi** Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay **K M Ferguson, Margaret Hayes, and S L Jeffcoate** Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits **H J M van Rijn, J B L Hoekstra, and J H H Thijssen**	cose	350 354 358
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi** Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay **K M Ferguson, Margaret Hayes, and S L Jeffcoate** Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe** Evaluation of three commercially available C-peptide kits **H J M van Rijn, J B L Hoekstra, and J H H Thijssen** Further experience with free thyroxine assays with particular reference to pregnancy**	cose	350 354 358 362
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration **Raija Puukka and Marjatta Lepilampi** Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay **K M Ferguson, Margaret Hayes, and S L Jeffcoate** Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe** Evaluation of three commercially available C-peptide kits **H J M van Rijn, J B L Hoekstra, and J H H Thijssen** Further experience with free thyroxine assays with particular reference to pregnancy**		350 354 358 362 368
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazawa	 n E,	350 354 358 362 368 374
Electrophoretically determined haemoglobin A1 concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazaw S Tachibana, N Nakazawa, and H Ogawa	 n E,	350 354 358 362 368 374
Electrophoretically determined haemoglobin A ₁ concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazawa	 n E,	350 354 358 362 368 374
Electrophoretically determined haemoglobin A1 concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazaw S Tachibana, N Nakazawa, and H Ogawa	 n E,	350 354 358 362 368 374
Electrophoretically determined haemoglobin A1 concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazawa, S Tachibana, N Nakazawa, and H Ogawa Book reviews VOLUME 19 PART 6 NOVEMBER 1982 Diagnosis of inherited metabolic diseases in severely ill children	 n E,	350 354 358 362 368 374 379 385
Electrophoretically determined haemoglobin A1 concentrations during short-term changes in gluconcentration Raija Puukka and Marjatta Lepilampi Simple and rapid method for the assessment of the oxygen affinity in haemoglobin M J Roberts and P V Cole A standardised multicentre procedure for plasma gonadotrophin radioimmunoassay K M Ferguson, Margaret Hayes, and S L Jeffcoate Evaluation of four methods for the direct assay of progesterone in unextracted serum Wendy A Ratcliffe Evaluation of three commercially available C-peptide kits H J M van Rijn, J B L Hoekstra, and J H H Thijssen Further experience with free thyroxine assays with particular reference to pregnancy J W Tuttlebee Major factors limiting sensitivity of sandwich enzyme immunoassay for ferritin, immunoglobuli and thyroid stimulating hormone E Ishikawa, M Imagawa, S Yoshitake, Y Niitse, I Urushizaki, M Inada, H Imura, R Kanazawa, S Tachibana, N Nakazawa, and H Ogawa Book reviews VOLUME 19 PART 6 NOVEMBER 1982	 n E,	350 354 358 362 368 374

Temperatures used in the determination of enzyme act Britain: results of a survey	tivity ir	clinic	al bioc	hemist	ry labo	oratorio	es in	
A Fleck and C M Colley								405
Value of serum glucose assay as part of the biochemical	profile	in scr	eening	for dia	betes			
B E Northam, J H Smith, M G Fitzgerald, M Nattr	ass, and	IAD	Wright					412
Screening of bacteria in urine using luciferin-luciferase a					compar	ative s	tudy	
A Ruokonen, M Koskinen, M Leinonen, A Tiilikaine					-			416
A ligand-binding assay for thyroxine-binding globulin b	ased or	polye	thylene	glyco	l separ	ation		
Kate Hall and I Laing								421
Influence of pyridoxal-5'-phosphate on temperature rel	lationsh	nip of	asparta	te ami	notran	sferase	and	
alanine aminotransferase								
J C M Hafkenscheid, J van der Ven-Jongekrijg, and	Th de	Boo						426
Components of variance of some plasma constituents in	patien	ts with	myoca	rdial i	nfarctio	on		
G C Fraser and C R Hearne								431
Use of Youden plot for internal quality control in the in	mmunc	assay	laborat	ory				
S L Jeffcoate								435
Fresh human blood as the source of a regional quality s	survey	progra	mme in	haem	atology	,		
J M M W A van Gend		_						438
Failure to confirm the diagnostic value of a cystic fibros	sis prot	ein me	thod					
M F Vickers, R N Curnow, and A L Tarnoky								442
Technical note								
A system to minimise trace metal contamination of biol	logical	materi	al durir	g hom	ogenis	ation		
Valda W Bunker, H T Delves, and R F Fautley								444
Book reviews								446
Index to volume 19		. 4						449

